


CDD 636.08 Blu

MD 1447

Large Animal Parasitology Procedures for Veterinary Technicians



Donald H. Bliss

MidAmerica Ag Research

3705 Sequoia Trail

Verona, WI, USA

④ 069874



069874



WILEY Blackwell

Contents

Preface

xv

1 Introduction to Large Animal Parasitology Procedures for Veterinary Technicians

1

Gastrointestinal Parasitism Can be Categorized into Four Distinct Periods of Development 22

Early Larvae Development and Translation Period 22

The Ingestion and Infective Prepatent Period 30

The Inhibition or Arrested Development Phase 31

The Patent Period 35

References 57

2 The Modified Wisconsin Sugar Flotation Method

59

Standard Operating Procedure for the “Modified Wisconsin Sugar Flotation Technique” 82

Interpretation of Fecal Worm Egg Counts in Sheep, Goats, and Camelids Using the Modified Wisconsin Sugar Flotation Technique 88

Quick Assessment for Sheep, Goats, and Camelids Based on Fecal Worm Egg Counts 97

References 106

3 Parasites in Beef Cattle

107

Strategic Deworming Entails More than Simply Applying a Dewormer 115
The Economics of an Aggressive Deworming Program 115

Interpretation of Fecal Worm Egg Counts in Cattle Using “The Modified Wisconsin Sugar Flotation Technique” 133

Fecal Egg Count Reduction Test (FECRT) 137

Product Profile of Fenbendazole (Safe-Guard®/Panacur® – Merck Animal Health) 137

Treatment Timing 142

Gastrointestinal and Lungworm Parasites Found in Beef Cattle 142
 Stomach (Abomasal) Worms 142
 Intestinal Nematode Parasites 142
 Intestinal Cestode Parasites (Cattle Tapeworms) 158
 Cattle Lungworm (*Dictyocaulus viviparous*) 158
 Trematodes Parasites (Liver Flukes) 161
 Protozoan Parasites of Cattle 162
 References 167

4 Parasites in Dairy Cattle

171

Detection is Foremost in the Economic Analysis 171
 Gastrointestinal and Lung Parasite Infections Found in Dairy Cattle
 (See Figure 4.8) 175
 Stomach Worms 175
 Intestinal Nematode Parasites 177
 Intestinal Cestode Parasites (Cattle Tapeworms) 183
 Cattle Lungworm (*Dictyocaulus Viviparous*) 185
 Trematodes Parasites (Liver Flukes) 185
 Protozoan Parasites of Cattle 185
 Risk Factors and Production Losses Caused by Gastrointestinal Parasitism 188
 How Many Parasites are Needed to Cause Clinical Disease? 188
 Level of Efficiency Can Affect Production Losses 189
 Variation in Parasites Numbers and Levels of Contamination Rates Exists 190
 Age and Management Variations Affect Parasite Buildup in Animals 191
 Understanding How Gastrointestinal Parasites Affect Lactating Dairy Cows 191
 Monitoring Dairy Herds for Gastrointestinal Parasite Infections 192
 Every Herd is Different when it Comes to Internal Parasitic Infections 192
 The Following are Guidelines to Determine Parasite Exposure of a Dairy Herd
 Based on Animal Management 192
 Obtaining a Comprehensive "Parasite Fecal Check" of the Herd Can
 be Important 193
 Production Losses Due to Gastrointestinal Parasites 193
 Seasonal Control of Gastrointestinal Parasitic Infections in Dairy
 Operations 193
 Conclusion 197
 References 198

5 Parasites in Equine

199

Gastrointestinal Nematode Parasites Affect Horses in Many Ways 200
 Parasites Develop Differently in Horses than in Cattle 202

Parasite Resistance to Dewormers has Become a Major Problem	206
The Seasonal Transmission of Parasites in the Horse	208
Seasonal Control of Parasites in Horses Can be Achieved by Reducing Parasite Contamination from the Environment	211
General Recommendations for Strategic Timed Deworming for the Season Control of Gastrointestinal Parasites in Horses	212
A Two-Year Study Demonstrating the Value of Strategic Deworming to Reduce Environment Contamination was Conducted in Nevada	213
Equine Dewormers	217
Fecal Monitoring is the Best Way to Determine Whether Treatment is Effective	218
The Major Gastrointestinal Nematode Parasites of Horses are	219
Other Notable Internal Parasites of the Horse	219
Review of Internal Nematode Parasite of Horses	219
Other Parasites	228
Guide for Interpretation of Fecal Worm Egg Counts in Horses Using “The Modified Wisconsin Sugar Flotation Technique”	231
Quick Assessment for Equine Based on Fecal Worm Egg Counts	231
Inhibited Small Strongyles Cause Problems with Worm Egg Count Interpretations	231
References	232

6 Parasites of Swine

235

Large Roundworms (<i>Ascaris suum</i>)	241
Background	241
Diagnosis in Lungs	243
Diagnosis in Liver	245
Diagnosis in the Feces	245
Whipworms (<i>Trichuris suis</i>)	247
Background	247
Diagnosis in the Cecum	247
Diagnosis in the Feces	250
Threadworms (<i>Strongyloides ramsoni</i>)	252
Background	252
Diagnosis in the Feces	252
Treatment Guidelines	253
Nodular Worms (<i>Oesophagostomum dentatum</i>)	253
Background	253
Diagnosis in the Large Intestine	254
Diagnosis in the Feces	255
Treatment Guidelines	257

The Development and Buildup of Parasitism within a Swine Operation Depends on Many Factors	257
Materials and Methods for Fecal Sampling	258
Specific Sample Instructions	258
Fecal Worm Egg Count Interpretation and Whole Herd Deworming Guidelines	259
Treatment to Control Parasitism and Reduce Parasite Future Contamination in a Facility	260
Developing Parasite Data for Swine Clients	261
References	261

7 Parasites in Small Ruminants

263

Strategic Deworming for Small Ruminants	278
Phase I: "0-3-6-9" Spring Dewormings	278
Phase II - Fall Cleanup Deworming	280
Summary	280
Fecal Monitoring is the Best Way to Determine Whether Treatment is Effective	280
Interpretation of Fecal Worm Egg Counts in Small Ruminants Using the Modified Wisconsin Sugar Flotation Technique	284
Quick Assessment for Sheep, Goats, and Camelids Based on Fecal Worm Egg Counts	284
Gastrointestinal and Lung Parasite Infections Found in Small Ruminants	285
Stomach Worms	286
Intestinal Nematode Parasites	288
Intestinal Cestode (Tapeworm) Parasites (<i>Moniezia expansa</i> and <i>Moniezia benedeni</i>)	300
Trematodes Parasites (Liver Flukes)	300
Protozoan Parasites of Small Ruminants	304
References	307

8 Parasites of Hoofed Wildlife

309

Gastrointestinal Nematode Parasites are Important to Wildlife	313
Parasite Life Cycles	313
Transmission of Parasites	313
Control of Parasites in the Wild	314
Dewormer for Hoofed Wildlife	314
Description and Dosage Rate	317
Estimating Herd Size and Required Dose	317
Strategic Wildlife Deworming Program	317
The Modified Wisconsin Sugar Fecal Exam (see Figure 8.11) Plus a Submission Form (See Figure 8.12) and a Picture of the Most Common Eggs Found with Hoofed Wildlife Fecal Samples (See Figure 8.13)	318

Interpretation of Fecal Worm Egg Counts in Hoofed Wildlife Using the Modified
Wisconsin Sugar Flotation Technique 318

Quick Assessment for Hoofed Wildlife Based on Fecal Worm Egg Counts 320

Gastrointestinal and Lung Parasite Infections Found in Small Ruminants and Hoofed
Wildlife 321

Stomach Worms 321

Intestinal Parasites 324

References 333

Index

335